






patterns

PERFORATED METAL



Table of Contents.

{	Round Staggered (RS)	2 - 15
	Round Straight (RST)	16 - 19
	Slot (SL)	20 - 21
	Square (SQ)	22 - 26
	Ornamental (O)	27 - 29
	Open Percent	30 - 31




Round Staggered.

RS001 - RS115


RS001 - RS018

RS001




Hole Size: .045" Dia. x .265" Ctrs.
Open Percentage: 3%

RS003




Hole Size: 1/16" Dia. x .271" Ctrs.
Open Percentage: 8%

RS004




Hole Size: 1/16" Dia. x .189" Ctrs.
Open Percentage: 10%

RS005




Hole Size: 1/16" Dia. x .162" Ctrs.
Open Percentage: 14%

RS007




Hole Size: 1/16" Dia. x 1/8" Ctrs.
Open Percentage: 22%

RS008




Hole Size: 1/16" Dia. x 7/64" Ctrs.
Open Percentage: 29%

RS009




Hole Size: 1/16" Dia. x 3/32" Ctrs.
Open Percentage: 40%

RS010




Hole Size: .065" Dia. x 7/32" Ctrs.
Open Percentage: 8%

RS011




Hole Size: .065" Dia. x 3/32" Ctrs.
Open Percentage: 44%

RS012




Hole Size: .068" Dia. x .217" Ctrs.
Open Percentage: 9%

RS013




Hole Size: .068" Dia. x 1/8" Ctrs.
Open Percentage: 27%

RS014




Hole Size: .068" Dia. x 7/64" Ctrs.
Open Percentage: 35%

RS015




Hole Size: .075" Dia. x .173" Ctrs.
Open Percentage: 17%

RS016




Hole Size: .075" Dia. x .100" Ctrs.
Open Percentage: 51%

RS017



Hole Size: 5/64" Dia. x .189" Ctrs.
Open Percentage: 16%


RS018



Hole Size: .085" Dia. x 1/8" Ctrs.
Open Percentage: 42%


RS019 - RS034

RS019




Hole Size: .081" Dia. x 1/8" Ctrs.
Open Percentage: 38%

RS020




Hole Size: 5/64" Dia. x .5/32" Ctrs.
Open Percentage: 23%

RS021




Hole Size: 5/64" Dia. x 1/8" Ctrs.
Open Percentage: 35%

RS022




Hole Size: 5/64" Dia. x 7/64" Ctrs.
Open Percentage: 46%

RS023




Hole Size: 3/32" Dia. x .433" Ctrs.
Open Percentage: 4%

RS024




Hole Size: 3/32" Dia. x .325" Ctrs.
Open Percentage: 8%

RS025




Hole Size: 3/32" Dia. x 1/4" Ctrs.
Open Percentage: 13%

RS026




Hole Size: 3/32" Dia. x .271" Ctrs.
Open Percentage: 11%

RS027




Hole Size: 3/32" Dia. x 3/16" Ctrs.
Open Percentage: 22%

RS028




Hole Size: 3/32" Dia. x 5/32" Ctrs.
Open Percentage: 32%

RS029




Hole Size: .098" Dia. x 3/16" Ctrs.
Open Percentage: 25%

RS030




Hole Size: 7/64" Dia. x .271" Ctrs.
Open Percentage: 15%

RS031




Hole Size: 7/64" Dia. x 7/32" Ctrs.
Open Percentage: 23%

RS032




Hole Size: 7/64" Dia. x 3/16" Ctrs.
Open Percentage: 31%

RS033



Hole Size: 7/64" Dia. x .11/64" Ctrs.
Open Percentage: 37%

RS034




Hole Size: 7/64" Dia. x 5/32" Ctrs.
Open Percentage: 44%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS035 - RS050

RS035




Hole Size: .117" Dia. x .271" Ctrs.
Open Percentage: 17%

RS036




Hole Size: .117" Dia. x 5/32" Ctrs.
Open Percentage: 51%

RS037




Hole Size: 1/8" Dia. x .433" Ctrs.
Open Percentage: 8%

RS038




Hole Size: 1/8" Dia. x .379" Ctrs.
Open Percentage: 10%

RS039




Hole Size: 1/8" Dia. x 3/8" Ctrs.
Open Percentage: 10%

RS040




Hole Size: 1/8" Dia. x .325" Ctrs.
Open Percentage: 13%

RS041




Hole Size: 1/18" Dia. x 1/4" Ctrs.
Open Percentage: 23%

RS042




Hole Size: 1/8" Dia. x 7/32" Ctrs.
Open Percentage: 30%

RS043




Hole Size: 1/8" Dia. x 3/16" Ctrs.
Open Percentage: 41%

RS044




Hole Size: 9/64" Dia. x .433" Ctrs.
Open Percentage: 10%

RS045




Hole Size: 9/64" Dia. x .379" Ctrs.
Open Percentage: 12%

RS046




Hole Size: 9/64" Dia. x .325" Ctrs.
Open Percentage: 17%

RS047




Hole Size: 9/64" Dia. x 1/4" Ctrs.
Open Percentage: 28%

RS048




Hole Size: 9/64" Dia. x 7/32" Ctrs.
Open Percentage: 38%

RS049




Hole Size: 9/64" Dia. x 3/16" Ctrs.
Open Percentage: 51%

RS050




Hole Size: 5/32" Dia. x .650" Ctrs.
Open Percentage: 5%


RS051 - RS066




Hole Size: 5/32" Dia. x .541" Ctrs.
Open Percentage: 8%




Hole Size: 5/32" Dia. x .433" Ctrs.
Open Percentage: 12%




Hole Size: 5/32" Dia. x .379" Ctrs.
Open Percentage: 15%




Hole Size: 5/32" Dia. x 3/8" Ctrs.
Open Percentage: 16%




Hole Size: 5/32" Dia. x .325" Ctrs.
Open Percentage: 21%




Hole Size: 5/32" Dia. x 5/16" Ctrs.
Open Percentage: 23%




Hole Size: 5/32" Dia. x 1/4" Ctrs.
Open Percentage: 35%




Hole Size: 5/32" Dia. x 7/32" Ctrs.
Open Percentage: 46%




Hole Size: 5/32" Dia. x 3/16" Ctrs.
Open Percentage: 62%




Hole Size: 11/64" Dia. x 1/4" Ctrs.
Open Percentage: 43%




Hole Size: 3/16" Dia. x .650" Ctrs.
Open Percentage: 8%




Hole Size: 3/16" Dia. x .541" Ctrs.
Open Percentage: 11%




Hole Size: 3/16" Dia. x .487" Ctrs.
Open Percentage: 13%



Hole Size: 3/16" Dia. x .433" Ctrs.
Open Percentage: 17%



Hole Size: 3/16" Dia. x 3/8" Ctrs.
Open Percentage: 23%




Hole Size: 3/16" Dia. x 5/16" Ctrs.
Open Percentage: 33%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS067 - RS074

RS067




Hole Size: 3/16" Dia. x 9/32" Ctrs.
Open Percentage: 40%

RS068




Hole Size: 3/16" Dia. x 1/4" Ctrs.
Open Percentage: 51%

RS069




Hole Size: .197" Dia. x .230" Ctrs.
Open Percentage: 67%

RS070




Hole Size: 7/32" Dia. x .541" Ctrs.
Open Percentage: 15%

RS071




Hole Size: 7/32" Dia. x 5/16" Ctrs.
Open Percentage: 44%

RS072




Hole Size: 1/4" Dia. x .866" Ctrs.
Open Percentage: 8%

RS073



Hole Size: 1/4" Dia. x .650" Ctrs.
Open Percentage: 13%


RS074



Hole Size: 1/4" Dia. x .541" Ctrs.
Open Percentage: 19%


RS075 - RS083

RS075




Hole Size: 1/4" Dia. x 1/2" Ctrs.
Open Percentage: 23%

RS076




Hole Size: 1/4" Dia. x 7/16" Ctrs.
Open Percentage: 30%

RS077




Hole Size: 1/4" Dia. x 3/8" Ctrs.
Open Percentage: 40%

RS078




Hole Size: 1/4" Dia. x 5/16" Ctrs.
Open Percentage: 58%

RS079




Hole Size: 17/64" Dia. x 5/16" Ctrs.
Open Percentage: 66%

RS080




Hole Size: 9/32" Dia. x 13/32" Ctrs.
Open Percentage: 43%

RS081




Hole Size: 5/16" Dia. x 3/4" Ctrs.
Open Percentage: 16%

RS082



Hole Size: 5/16" Dia. x .650" Ctrs.
Open Percentage: 21%

RS083




Hole Size: 5/16" Dia. x 9/16" Ctrs.
Open Percentage: 28%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS084 - RS092

RS084




Hole Size: 5/16" Dia. x 1/2" Ctrs.
Open Percentage: 35%

RS085




Hole Size: 5/16" Dia. x 7/16" Ctrs.
Open Percentage: 46%

RS086




Hole Size: 5/16" Dia. x 3/8" Ctrs.
Open Percentage: 63%

RS087




Hole Size: 3/8" Dia. x 1/2" Ctrs.
Open Percentage: 23%

RS088




Hole Size: 3/8" Dia. x 11/16" Ctrs.
Open Percentage: 27%

RS089




Hole Size: 3/8" Dia. x 9/16" Ctrs.
Open Percentage: 40%

RS090




Hole Size: 3/8" Dia. x 1/2" Ctrs.
Open Percentage: 51%

RS091



Hole Size: 7/16" Dia. x 3/4" Ctrs.
Open Percentage: 31%


RS092



Hole Size: 7/16" Dia. x 5/8" Ctrs.
Open Percentage: 44%


RS093 - RS097

RS093




Hole Size: 1/2" Dia. x 1.191" Ctrs.
Open Percentage: 16%

RS094




Hole Size: 1/2" Dia. x 7/8" Ctrs.
Open Percentage: 30%

RS095




Hole Size: 1/2" Dia. x 3/4" Ctrs.
Open Percentage: 40%

RS096



Hole Size: 1/2" Dia. x 11/16" Ctrs.
Open Percentage: 48%

RS097




Hole Size: 1/2" Dia. x 5/8" Ctrs.
Open Percentage: 58%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS098 - RS101

RS098




Hole Size: 5/8" Dia. x 1.516" Ctrs.
Open Percentage: 15%

RS099




Hole Size: 5/8" Dia. x 7/8" Ctrs.
Open Percentage: 46%

RS100



Hole Size: 5/8" Dia. x 13/16" Ctrs.
Open Percentage: 54%


RS101



Hole Size: 5/8" Dia. x 3/4" Ctrs.
Open Percentage: 51%


RS102 - RS105

RS102




Hole Size: 3/4" Dia. x 1.732" Ctrs.
Open Percentage: 17%

RS103




Hole Size: 3/4" Dia. x 1-1/8" Ctrs.
Open Percentage: 40%

RS104



Hole Size: 3/4" Dia. x 1" Ctrs.
Open Percentage: 51%

RS105




Hole Size: 3/4" Dia. x 15/16" Ctrs.
Open Percentage: 58%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS106 - RS109

RS106




Hole Size: 7/8" Dia. x 1-1/4" Ctrs.
Open Percentage: 44%

RS107




Hole Size: 1" Dia. x 2" Ctrs.
Open Percentage: 23%

RS108



Hole Size: 1" Dia. x 1-3/8" Ctrs.
Open Percentage: 48%


RS109



Hole Size: 1" Dia. x 1-1/4" Ctrs.
Open Percentage: 58%


RS110 - RS113

RS110




Hole Size: 1-3/32" Dia. x 2" Ctrs.
Open Percentage: 27%

RS111




Hole Size: 1-1/14" Dia. x 1-5/8" Ctrs.
Open Percentage: 23%

RS112



Hole Size: 1-1/2" Dia. x 2" Ctrs.
Open Percentage: 51%

RS113




Hole Size: 1-3/4" Dia. x 2" Ctrs.
Open Percentage: 58%

Round Staggered

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RS114 - RS115

RS114






Hole Size: 2" Dia. x 3" Ctrs.
Open Percentage: 40%

RS115



Hole Size: 2" Dia. x 2-1/2" Ctrs.
Open Percentage: 58%




Round Straight.

RST001 - RST017


RST001 - RS011

RST001




Hole Size: 1/8" Dia. x 1" Ctrs.
Open Percentage: 1%

RST002




Hole Size: 1/8" Dia. x 1/2" Ctrs.
Open Percentage: 5%

RST003




Hole Size: 1/8" Dia. x 1/4" Ctrs.
Open Percentage: 20%

RST004




Hole Size: 7/32" Dia. x 1" Ctrs.
Open Percentage: 4%

RST005




Hole Size: 7/32" Dia. x 1/2" Ctrs.
Open Percentage: 15%

RST006




Hole Size: 1/4" Dia. x 1" Ctrs.
Open Percentage: 5%

RST007




Hole Size: 1/4" Dia. x 1/2" Ctrs.
Open Percentage: 20%

RST008




Hole Size: 9/32" Dia. x 1" Ctrs.
Open Percentage: 6%

RST009




Hole Size: 9/32" Dia. x 1/2" Ctrs.
Open Percentage: 25%

RST010



Hole Size: 3/16" Dia. x 1" Ctrs.
Open Percentage: 3%


RST011



Hole Size: 3/16" Dia. x 1/2" Ctrs.
Open Percentage: 13%


RST012 - RS015

RST012




Hole Size: 1/2" Dia. x 2" Ctrs.
Open Percentage: 5%

RST013




Hole Size: 1/2" Dia. x 1-1/2" Ctrs.
Open Percentage: 9%

RST014



Hole Size: 1/2" Dia. x 1" Ctrs.
Open Percentage: 20%

RST015




Hole Size: 1/2" Dia. x 3/4" Ctrs.
Open Percentage: 35%

Round Straight

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.


RST016 - RS017

RST016






Hole Size: 1-1/4" Dia. x 1-5/8" Ctrs.
Open Percentage: 48%

RST017



Hole Size: 1-1/2" Dia. x 2-1/4" Ctrs.
Open Percentage: 35%




Slot.

SL001 - SL008


SL001 - SL008

SL001




Hole Size: 1/16" x 3/4" Slot x 1/4" Ctrs.
Open Percentage: 28%

SL002




Hole Size: 3/32" x 1/2" Slot x 1/4" Ctrs.
Open Percentage: 32%

SL003




Hole Size: 1/8" x 3/4" Slot x 1/4" Ctrs.
Open Percentage: 41%

SL004




Hole Size: .200" x .637" Slot x 1/4" Ctrs.
Open Percentage: 74%

SL005




Hole Size: 9/32" x 1-27/32" Slot
Open Percentage: 62%

SL006




Hole Size: 9/32" x 1-27/32" Slot
Open Percentage: 65%

SL007






Hole Size: 3/16" x 3/4" Slot x 3/8" Ctrs.
Open Percentage: 38%

SL008



Hole Size: 3/8" x 1-1/4" Slot x 11/16" Ctrs.
Open Percentage: 43%




Square.

SQ001 - SQ022


SQ001 - SQ009

SQ001




Hole Size: .200" Sq. x 1/2" Ctrs.
Open Percentage: 16%

SQ002




Hole Size: .200" Sq. x 1/4" Ctrs.
Open Percentage: 64%

SQ003




Hole Size: 1/4" Sq. x 3/4" Ctrs.
Open Percentage: 11%

SQ004




Hole Size: 1/4" Sq. x 5/8" Ctrs.
Open Percentage: 16%

SQ005




Hole Size: 1/4" Sq. x 3/8" Ctrs.
Open Percentage: 45%

SQ006




Hole Size: 1/4" Sq. x 5/16" Ctrs.
Open Percentage: 64%

SQ007




Hole Size: 5/16" Sq. x 7/8" Ctrs.
Open Percentage: 13%

SQ008



Hole Size: 5/16" Sq. x 7/16" Ctrs.
Open Percentage: 51%


SQ009



Hole Size: 3/8" Sq. x 1" Ctrs.
Open Percentage: 14%


SQ010 - SQ016

SQ010




Hole Size: 3/8" Sq. x 1/2" Ctrs.
Open Percentage: 56%

SQ011




Hole Size: 1/2" Sq. x 1-1/2" Ctrs.
Open Percentage: 11%

SQ012




Hole Size: 1/2" Sq. x 1-3/8" Ctrs.
Open Percentage: 13%

SQ013




Hole Size: 1/2" Sq. x 1-1/4" Ctrs.
Open Percentage: 16%

SQ014




Hole Size: 1/2" Sq. x 3/4" Ctrs.
Open Percentage: 44%

SQ015



Hole Size: 1/2" Sq. x 11/16" Ctrs.
Open Percentage: 53%

SQ016




Hole Size: 1/2" Sq. x 5/8" Ctrs.
Open Percentage: 64%

Square


SQ017 - SQ020

SQ017




Hole Size: 3/4" Sq. x 2" Ctrs.
Open Percentage: 14%

SQ018




Hole Size: 3/14" Sq. x 1" Ctrs.
Open Percentage: 56%

SQ019



Hole Size: 7/8" Sq. x 2-1/4" Ctrs.
Open Percentage: 15%


SQ020



Hole Size: 7/8" Dia. x 1-1/8" Ctrs.
Open Percentage: 60%


SQ021 - SQ022

SQ021






Hole Size: 1" Sq. x 2-1/2" Ctrs.
Open Percentage: 16%

SQ022



Hole Size: 1" Sq. x 1-1/4" Ctrs.
Open Percentage: 64%

Square




Ornamental.

O001 - O016


O001 - O009

O001




Hole Size: .177" Hex. x .265" Ctrs.
Open Percentage: 45%

O002




Hole Size: 1/4" Hex. x .310" Ctrs.
Open Percentage: 65%

O003




Hole Size: 1/4" Hex. x 9/32" Ctrs.
Open Percentage: 79%

O004




Cloverleaf
Open Percentage: 51%

O005




Hole Size: 5/16" x 7/8" Diamond x 1/4" Ctrs.
Open Percentage: 55%

O006




Hole Size: 1/4" x 3/4" Ellipse
Open Percentage: 54%

O007




Hole Size: 3/16" x 17/32" Ellipse
Open Percentage: 55%

O008



Grecian
Open Percentage: 35%

O009




Lincane
Open Percentage: 44%

Ornamental

Please refer to our website at www.accurateperforating.com to download detailed pattern drawings.

O010 - O016


O010



Mini Cane

Open Percentage: 45%


O011



Octagon Cane

Open Percentage: 41%


O012



1/4" Round Cane

Open Percentage: 24%


O013



5/16" Round Cane

Open Percentage: 38%


O014



Royal

Open Percentage: 45%


O015



Saratoga




Open Percentage: 32%

O016




Union Jack

Open Percentage: 40%




Open Percent.


Open Percent




$$\frac{D^2 \times 90.69}{C^2} = \%$$




$$\frac{D^2 \times 78.54}{C^2} = \%$$




$$\frac{S^2}{C^2} = \%$$



$$\frac{L \times W}{C^2} \times 100 = \%$$



$$\frac{99.9 \times D^2}{C^2} = \%$$



$$\frac{157.08 D^2}{S^2} = \%$$

$$\text{H.P.S.I.} = \frac{\% \text{ Open Area}}{78.54 \times D^2}$$





3636 S. KEDZIE AVENUE | CHICAGO, ILLINOIS 60632
1.800.621.0273 | T 773.254.3232 | F 773.524.9453
WWW.ACCURATEPERFORATING.COM